


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1906-1907
WHOLESALE PRICE-LIST

LIBRARY,
U. S. Department of Agriculture
Washington, D. C.



**Strictly Hardy Rhododendrons
Azaleas · Kalmias · Andromedas · Lilies
Cypripediums · Ferns · Sarracenias · Etc.**

Grown in the Carolina Mountains at

HIGHLANDS NURSERY

100 Acres at 3,800 feet elevation

KAWANA, SAGINAW, NORTH CAROLINA
SALEM BRANCH, SALEM, MASSACHUSETTS

Always address

HARLAN P. KELSEY, Owner
SALEM, MASS.

SPECIALTIES FOR THIS SEASON

- 20,000 Azalea lutea, 6 in. to 4 ft. clumps.
- 35,000 Rhododendron catawbiense, 6 in. to 6 ft. clumps.
- 20,000 Stenanthium robustum, new.
- 30,000 Lilium superbum, first size bulbs.
- 8,000 Lilium carolinianum, new.
- 3,000 Tsuga caroliniana (The Rare Carolina Hemlock)



KELSEY'S HARDY AMERICAN PLANTS

TERMS, ETC.

Terms are cash or satisfactory reference from unknown parties. Accounts due first of each month, unless by special arrangement.

Shipments usually direct from Highlands Nursery, from Pineola, N. C., freight station. New special freight rates. Special express rates connecting with Norfolk steamers. Rates from our Rhododendron fields in Pennsylvania and from Nursery in Salem, Mass., on request.

Packing charged at cost only; our export shipments reach the most remote countries in perfect condition.

Send foreign remittances by Postal Money Order, drawn on Boston, Mass., postoffice, or by New York or Boston Exchange. An American dollar equals 4 shillings, 4 marks or 5 francs.

Claims must be made on receipt of goods. All shipments travel at consignee's risk.

Shipping begins in August, when we send out large Rhododendrons, Kalmias and other Evergreens, and Bulbs and Herbaceous Plants; general stock going out in October and November, and in spring, from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

A Certificate of Inspection is sent out with every shipment.

Strictly hardy stock only is offered in this catalog, unless specially noted.

We publish a beautifully illustrated descriptive catalog.

We make low prices on large lists of nursery stock desired, and are glad to estimate.

HARLAN P. KELSEY, Prop.

Cable Address
KELMONT-SALEM

SALEM, MASS.

ALWAYS ADDRESS SALEM OFFICE

KELSEY'S HARDY AMERICAN PLANTS



The Only Large Stock Ever Offered
of the True

Rhododendron catawbiense

CAROLINA RHODODENDRON

Do not confuse this with the **common** so-called "**catawbiense seedlings**" imported from Europe, which is in reality a half-hardy, poor-flowered hybrid with little catawbiense blood in it. The true species grows only in the highest Southern Allegheny mountains, and is the **finest of all Rhododendrons**, considering its extreme hardiness, color of flower, and remarkable texture of foliage, which is a deep shiny green, far superior to that of the better known **Rhododendron maximum**.

For massing and producing a broad-leaved evergreen effect, there is no plant equal to it in the latitude of the northern United States, where strictly hardy plants must necessarily be used. Unlike **R. maximum**, it is a **free bloomer**, the large trusses being a **bright red-purple** color, in marked contrast to the **muddy purple** of the common half-hardy hybrid noted above. All plants offered below are **heavy clumps**. Packing is done in **boxes**, or the larger sizes in **crates**, and is charged at cost. These clumps often have 30 to 50 stems, and are bushy to the ground. We offer both collected and transplanted clumps.

We have magnificent fields for collecting this grand Rhododendron, with reasonable freight rates. Parks, cemeteries and nurserymen should write us for special prices in car lots.

PRICES OF RHODODENDRON CATAWBIENSE

Nearly all clumps over 1 foot are heavily budded

Note specially prices of Rhododendron and Kalmia clumps
at Salem Branch will be 25 per cent above these rates

NURSERY-GROWN

Bushy plants with balls and extra furnished, diameter of clumps corresponding to height

| | Per 10 | 100 | 1,000 |
|-----------------------------|--------|--------|---------|
| 3 to 6 inches..... | \$0 60 | \$4 50 | \$30 00 |
| 6 to 9 inches..... | 1 00 | 8 00 | 70 00 |
| 9 to 12 inches..... | 1 50 | 12 00 | 100 00 |
| Clumps, 6 to 9 inches..... | 2 00 | 18 00 | |
| Clumps, 9 to 12 inches..... | 3 50 | 25 00 | |
| Clumps, 1 to 1½ feet..... | 5 00 | 40 00 | |
| Clumps, 1½ to 2 feet..... | 11 00 | 90 00 | |
| Clumps, 2 to 3 feet..... | 20 00 | 150 00 | |
| Clumps, 3 to 4 feet..... | 35 00 | 300 00 | |

Some extra clumps, 3 to 5 feet high, at \$4 to \$15 each. These prices are for stock growing at nursery in North Carolina. Add 25 per cent to get Salem prices.

COLLECTED

All bushy clumps with fine balls, diameter corresponding to height

| | Per 10 | 100 | 1,000 |
|-------------------|--------|---------|----------|
| 1 to 1½ feet..... | \$3 00 | \$25 00 | \$210 00 |
| 1½ to 2 feet..... | 6 00 | 50 00 | 420 00 |
| 2 to 2½ feet..... | 9 00 | 70 00 | 600 00 |
| 2½ to 3 feet..... | 15 00 | 120 00 | 950 00 |
| 3 to 4 feet..... | 25 00 | 225 00 | 1,800 00 |
| 4 to 5 feet..... | 40 00 | 350 00 | |

We offer some large clumps with fine bushy tops, thin-foliaged at bottom, for use in center of large masses, 3 to 6 feet high, at 75 cts. to \$10 each, both nursery-grown and collected.

Do not compare the many-stemmed clumps offered above with the single-stemmed "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.



KELSEY'S HARDY AMERICAN PLANTS

Rhododendron maximum

THE GREAT AMERICAN ROSE BAY

and Rhododendron punctatum

PERFECTLY HARDY IN THE LATITUDE OF QUEBEC

The use of large native *Rhododendrons*, *Kalmia* and *Leucothoe*, for producing immediate, finished, broad-leaved, evergreen effects is so well established as to scarcely need comment. There is no other possible way to obtain the results to be had by the use of these magnificent hardy evergreens. We sell both collected and nursery-grown clumps in any quantity. Our facilities and long experience are approached by none, and the quality of stock we handle cannot be duplicated. We have over 100,000 *Rhododendrons* and *Kalmias* growing in our Nurseries, fine bushy plants with balls.

Our nursery-grown stock is at Highlands Nursery, in N. C., and Salem, Salem Branch, while we collect car-load lots from special sources in the **Pennsylvania** and **Carolina Mountains**. **Prices per car-load** of *Rhododendron maximum* vary with size and grade.

Freight rate from our Pennsylvania fields to Boston, New York, Philadelphia, Buffalo and similar points is from \$20.00 to \$40.00 per car. Number of plants to the car varies from forty or fifty to several hundred, according to size and grade.

It is always best to have us make a special estimate where large quantities are desired, and it is cheaper and more satisfactory to buy by the plant, and have cars packed to the utmost limit.

PRICES BY THE PLANT

RHODODENDRON MAXIMUM

All are bushy and with balls, and the larger clumps usually budded and all well furnished, diameter corresponding well to height.

| NURSERY-GROWN | | | |
|-------------------------|--------|--------|---------|
| | Per 10 | 100 | 1,000 |
| 3 to 6 in..... | \$0 40 | \$2 50 | \$18 00 |
| 6 to 12 in..... | 75 | 5 00 | 40 00 |
| 1 to 1½ ft..... | 1 75 | 12 50 | 100 00 |
| 1½ to 2 ft..... | 3 00 | 20 00 | 180 00 |
| Clumps, 9 to 12 in..... | 3 00 | 20 00 | |
| Clumps, 1 to 1½ ft..... | 3 50 | 30 00 | |
| Clumps, 1½ to 2 ft..... | 7 00 | 60 00 | |
| Clumps, 2 to 3 ft..... | 12 50 | 115 00 | |
| Clumps, 3 to 3½ ft..... | 30 00 | 250 00 | |

Some extra clumps, 3 to 6 ft., at \$3.50 to \$10 each. These prices are for stock growing at Nursery in North Carolina. Prices for stock growing in Nursery at Salem, Mass., 25 per cent above these prices.

| COLLECTED CLUMPS | | | |
|------------------|--------|---------|----------|
| | Per 10 | 100 | 1,000 |
| 1 to 1½ ft..... | \$3 50 | \$30 00 | \$225 00 |
| 1½ to 2 ft..... | 5 00 | 40 00 | 350 00 |
| 2 to 3 ft..... | 9 00 | 70 00 | 500 00 |
| 3 to 4 ft..... | 17 00 | 140 00 | 1,000 00 |
| 4 to 5 ft..... | 30 00 | 200 00 | 1,600 00 |
| 5 to 6 ft..... | 50 00 | 400 00 | |

Some magnificent clumps, 4 to 6 feet, perfect specimens, from \$6 to \$15 each. If you want something extra, we have it.


RHODODENDRON PUNCTATUM

The smallest Alleghanian species, and very rare. A graceful shrub, with rose blossoms borne in greatest profusion in June. Beautiful for rocky slopes and cliffs, as it stands exposure unusually well. One of the finest species ever introduced.

| | Per 10 | 100 |
|-------------------------|--------|--------|
| 3 to 6 in..... | \$0 60 | \$5 00 |
| 6 to 9 in..... | 1 25 | 10 00 |
| 9 to 12 in..... | 2 00 | 18 00 |
| Clumps, 9 to 12 in..... | 4 00 | 30 00 |
| Clumps, 1 to 1½ ft..... | 8 00 | |

Nursery-grown only

KELSEY'S HARDY AMERICAN PLANTS



KALMIA LATIFOLIA

All are well furnished and bushy and lift with fine balls, the larger clumps usually budded. Diameter corresponds well to height.

| NURSERY-GROWN | | | |
|-------------------------|--------|--------|---------|
| | Per 10 | 100 | 1,000 |
| 3 to 6 in..... | \$0 40 | \$2 50 | \$18 00 |
| 6 to 9 in..... | 75 | 5 00 | 35 00 |
| 9 to 12 in..... | 1 25 | 8 00 | 55 00 |
| 1 to 1½ ft..... | 1 75 | 12 50 | 100 00 |
| 1½ to 2 ft..... | 3 00 | 20 00 | 180 00 |
| Clumps, 9 to 12 in..... | 3 00 | 25 00 | |
| Clumps, 1 to 1½ ft..... | 4 50 | 40 00 | |
| Clumps, 1½ to 2 ft..... | 8 00 | 75 00 | |
| Clumps, 2 to 3 ft..... | 20 00 | 150 00 | |

| COLLECTED CLUMPS | | | |
|------------------|--------|---------|----------|
| | Per 10 | 100 | 1,000 |
| 1 to 1½ ft..... | \$2 75 | \$20 00 | \$160 00 |
| 1½ to 2 ft..... | 4 00 | 35 00 | 300 00 |
| 2 to 2½ ft..... | 8 00 | 60 00 | 450 00 |
| 2½ to 3 ft..... | 12 00 | 85 00 | 600 00 |

Larger clumps, fine specimens, can be supplied at \$2.00 to \$8.00 each.

Note especially, the price of clumps at the Salem Branch is 25 per cent above these prices.

DECIDUOUS TREES

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Acer negundo. 2 to 4 ft. | \$0 75 | \$5 00 | |
| pennsylvanicum. 1 to 2 ft. | 75 | 5 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 50 | 12 00 | |
| rubrum. 2 to 3 ft. | 1 00 | 6 00 | |
| 3 to 4 ft. | 1 50 | 10 00 | |
| 4 to 5 ft. | 2 00 | | |
| saccharum. 3 to 4 ft..... | 1 00 | 7 00 | \$50 00 |
| 4 to 6 ft. | 1 50 | 12 50 | |
| spicatum. 6 to 12 in. | 35 | 3 00 | 25 00 |
| 1 to 2 ft. | 75 | 5 00 | 40 00 |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 50 | 12 50 | |
| Æsculus octandra. 1 to 2 ft. | 50 | 4 00 | |
| 2 to 3 ft. | 1 00 | 7 00 | |

AMELANCHIER BOTRYAPIUM—

| | | | |
|--------------------------------------|------|-------|--------|
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| 4 to 6 ft..... | 2 00 | 15 00 | 125 00 |
| Betula lenta. 2 to 4 ft. | 60 | 5 00 | |
| 4 to 6 ft. | 1 50 | 12 00 | |
| 6 to 8 ft. | 2 00 | 15 00 | |
| lutea. 4 to 6 ft..... | 1 00 | 8 00 | 70 00 |
| 6 to 8 ft. | 1 75 | 12 00 | 110 00 |
| nigra. 2 to 4 ft..... | 1 25 | 6 00 | |
| 4 to 6 ft. | 1 75 | 12 00 | 100 00 |
| 6 to 8 ft. | 2 00 | 17 00 | 150 00 |
| papyrifera. 4 to 6 ft..... | 2 00 | 18 00 | |
| 6 to 8 ft. | 3 50 | | |
| populifolia. 3 to 4 ft..... | 2 00 | | |

CARPINUS CAROLINIANA—

| | | | |
|---|------|-------|--------|
| 1 to 2 ft..... | 60 | 5 00 | 35 00 |
| 2 to 3 ft..... | 1 00 | 7 00 | 60 00 |
| 3 to 4 ft..... | 1 75 | 12 00 | 100 00 |
| 4 to 6 ft..... | 2 50 | 18 00 | 160 00 |
| 6 to 7 ft..... | 4 00 | 30 00 | |
| Castanea dentata. 1 to 2 ft. | 75 | 4 00 | |
| 2 to 4 ft. | 1 00 | 6 00 | |
| 6 to 8 ft. | 3 00 | 25 00 | |
| pumila. 6 to 12 in., S..... | 1 25 | 10 00 | |
| 12 to 18 in., S..... | 2 00 | 16 00 | |
| 2 to 3 ft., cl. | 5 00 | | |
| Catalpa speciosa. 3 to 4 ft. | 75 | 5 00 | 30 00 |
| 4 to 6 ft. | 1 50 | 12 00 | |
| Cercis canadensis. 1 to 2 ft. | 75 | | |
| 3 to 4 ft. | 2 00 | | |
| Cladrastis lutea. 3 to 5 ft..... | 1 50 | | |




KELSEY'S HARDY AMERICAN PLANTS

DECIDUOUS TREES, continued

| | Per 10 | 100 | 1,000 |
|---|--------|--------|---------|
| Cornus alternifolia. 1 to 2 ft. | \$0 75 | \$4 00 | |
| 3 to 4 ft. | 1 50 | 12 00 | |
| 4 to 6 ft. | 2 00 | 15 00 | |
| florida. 6 to 12 in., S. | 50 | 3 00 | \$20 00 |
| 1 to 2 ft. | 75 | 5 00 | 35 00 |
| Diospyros virginiana. 6 to 12 in. | 60 | 4 00 | |
| 1 to 2 ft. | 1 00 | 7 00 | |
| Fagus americana. 1 to 2 ft. | 1 00 | 7 00 | |
| 2 to 3 ft. | 1 50 | 12 00 | |
| Fraxinus americana. 6 to 12 in., S. | 50 | 2 50 | 15 00 |
| 2 to 3 ft. | 60 | 4 00 | |
| 3 to 4 ft. | 75 | 6 00 | |
| lanceolata. 6 to 12 in., S. | 50 | 2 50 | 15 00 |
| 1 to 2 ft., S. | 75 | 4 00 | 25 00 |
| 2 to 4 ft. | 1 00 | 6 00 | 50 00 |
| oregona. 1 to 2 ft. | 1 00 | 7 00 | |
| 2 to 3 ft. | 2 00 | 15 00 | |
| Gymnocladus dioica. 6 to 12 in. | 75 | 5 00 | |
| Ilex monticola. 1 to 2 ft. | 75 | 5 00 | |
| 2 to 3 ft. | 1 25 | 8 00 | |
| 3 to 4 ft. | 1 50 | 12 00 | |
| 4 to 6 ft. | 2 50 | 20 00 | |
| 6 to 8 ft. | 4 00 | | |
| Larix laricina. 1 to 2 ft. | 75 | 6 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 2 00 | 15 00 | |
| 4 to 6 ft. | 3 00 | | |
| Liquidambar styraciflua. 2 to 3 ft. | 1 25 | 9 00 | |
| 3 to 4 ft. | 2 00 | 15 00 | |
| Liriodendron tulipifera. 1 to 2 ft. | 75 | 4 00 | |
| 2 to 3 ft. | 1 50 | 8 00 | |
| Magnolia acuminata. 12 to 18 in. | 60 | 4 00 | |
| fraseri. 6 to 12 in. | 75 | 5 00 | |
| 1 to 2 ft. | 1 50 | 10 00 | |
| 3 to 4 ft. | 4 00 | | |
| macrophylla. 6 to 12 in. | 7 00 | | |
| tripetala. 3 to 4 ft. | 2 00 | 15 00 | |
| 4 to 6 ft. | 3 00 | 20 00 | |
| Malus coronaria 1 to 2 ft. | 2 00 | 18 00 | |
| 2 to 3 ft. | 3 00 | 25 00 | |
| 3 to 4 ft. | 4 00 | | |
| Mohrodendron diptera. 2 to 3 ft. | 2 00 | | |
| 3 to 4 ft. | 3 50 | | |
| carolinum. 1 to 2 ft. | 1 50 | 10 00 | |
| 2 to 3 ft. | 2 00 | 15 00 | |
| 3 to 4 ft. | 3 00 | 20 00 | |
| 4 to 6 ft. | 5 00 | 35 00 | |
| Ostrya virginica. 1 to 2 ft. | 1 00 | 6 00 | |
| 2 to 3 ft. | 1 50 | 10 00 | |
| 3 to 4 ft. | 1 75 | | |
| 4 to 5 ft. | 2 50 | | |
| OXYDENDRUM ARBOREUM— | | | |
| 1 to 2 ft. | 1 00 | 7 50 | |
| 2 to 3 ft. | 2 00 | 15 00 | |
| 3 to 4 ft. | 3 50 | | |
| Populus tremuloides. 6 to 8 ft. | 2 00 | | |
| Prunus pennsylvanicum. 1 to 2 ft. | 40 | 2 00 | 8 00 |
| serotina. 4 to 6 ft. | 1 50 | 8 00 | |
| Ptelia trifoliata. 2 to 4 ft. | 1 00 | 6 00 | 40 00 |
| 4 to 6 ft. | 1 50 | 8 00 | |
| Quercus alba. 6 to 12 in., S. | 50 | 3 00 | 25 00 |
| 1 to 2 ft., S. | 1 00 | 5 00 | |
| cerris. 4 to 5 ft. | 3 00 | | |
| COCCINEA— | | | |
| 1 to 2 ft., S. | 1 00 | 5 00 | 35 00 |
| 2 to 4 ft. | 1 75 | 15 00 | 140 00 |
| 4 to 6 ft. | 4 00 | 30 00 | |
| 6 to 7 ft. | 6 00 | | |
| laurifolia. 6 to 12 in. | 1 50 | 12 00 | |
| 1 to 2 ft. | 2 00 | | |
| macrocarpa. 2 to 4 ft. | 3 00 | | |
| 4 to 6 ft. | 5 00 | | |
| palustris. 2 to 4 ft. | 1 75 | 15 00 | |
| 4 to 6 ft. | 3 50 | 25 00 | |
| prinus. 1 to 2 ft., S. | 1 00 | 7 00 | |

KELSEY'S HARDY AMERICAN PLANTS



DECIDUOUS TREES, continued

| QUERCUS RUBRA — | Per 10 | 100 | 1,000 |
|---|--------|---------|----------|
| 2 to 4 ft. | \$1 50 | \$12 00 | |
| 4 to 6 ft. | 2 50 | 20 00 | \$160 00 |
| 6 to 7 ft. | 5 00 | 40 00 | |
| Rhamnus caroliniana. 2 to 3 ft. | 75 | 5 00 | |
| RHUS COTINOIDES — | | | |
| 1 to 2 ft. | 8 00 | | |
| 2 to 3 ft. | 12 50 | | |
| 3 to 4 ft. | 20 00 | | |
| 4 to 6 ft. | 35 00 | | |
| 6 to 8 ft. | 40 00 | | |
| Robinia pseudacacia. 2 to 4 ft. | 75 | 5 00 | |
| Sorbus americana. 1 to ft. | 1 00 | 8 00 | |
| 2 to 4 ft. | 1 50 | 12 00 | |
| 4 to 6 ft. | 2 50 | 18 00 | |
| 6 to 8 ft. | 4 00 | | |
| Taxodium distichum. 2 to 4 ft. | 2 50 | | |
| Tilia heterophylla. 1 to 2 ft. | 1 0 | 8 00 | |
| 2 to 3 ft. | 1 50 | | |
| 3 to 4 ft. | 3 00 | | |
| Ulmus americana. 2 to 3 ft. | 75 | 5 00 | 40 00 |

EVERGREEN TREES

| | Per 10 | 100 | 1,000 |
|---|--------|---------|---------|
| Abies balsamea. 1 to 2 ft. | \$1 50 | | |
| concolor. 1 to 2 ft. | 4 00 | \$30 00 | |
| fraseri. 12 to 18 in. | 75 | 5 00 | \$45 00 |
| 18 to 24 in. | 1 50 | 10 00 | |
| 2 to 3 ft. | 2 00 | 15 00 | |
| 3 to 4 ft. | 5 00 | | |
| 4 to 5 ft. | 8 00 | | |
| Chamaecyparis sphæroides. 6 to 12 in., S. | 1 50 | | |
| ILEX OPACA — | | | |
| 6 to 12 in. | 1 50 | 12 00 | 100 00 |
| 12 to 18 in. | 2 00 | 15 00 | 140 00 |
| 18 to 24 in. | 3 50 | 30 00 | |
| 2 to 3 ft. | 6 00 | 50 00 | |
| Juniperus virginiana. 1 to 2 ft. | 1 00 | 7 00 | |
| Magnolia glauca. 1 to 2 ft. | 2 00 | | |
| 2 to 3 ft. | 3 50 | | |
| thompsoniana. 1 to 2 ft. | 2 00 | 17 50 | |
| Picea canadensis. 6 to 12 in. | 1 00 | 7 00 | |
| 12 to 18 in. | 1 50 | 12 00 | |
| mariana. 1 to 2 ft. | 75 | 5 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 2 50 | 20 00 | |
| 4 to 6 ft. | 5 00 | | |
| pungens. 1 to 2 ft. | 6 00 | 45 00 | |
| 2 to 2½ ft. | 12 00 | | |
| Pinus contorta. 2 to 3 ft. | 1 00 | 7 00 | |
| 3 to 4 ft. | 1 50 | 12 00 | |
| 4 to 6 ft. | 2 00 | 15 00 | |
| flexilis. 1 to 2 ft. | 2 50 | | |
| mitis. 6 to 12 in. | 1 50 | 12 00 | |
| pungens. 12 to 18 in. | 1 00 | 8 00 | 70 00 |
| 2 to 3 ft. | 2 50 | 20 00 | |
| 3 to 4 ft. | 5 00 | | |
| STROBUS — | | | |
| 1 to 2 ft. | 1 50 | 10 00 | 80 00 |
| 2 to 3 ft. | 2 00 | 15 00 | 125 00 |
| 3 to 4 ft. | 3 50 | 30 00 | 250 00 |
| 4 to 6 ft. | 7 00 | 60 00 | 450 00 |
| 6 to 7 ft. | 15 00 | 125 00 | |
| Pseudotsuga taxifolia. 6 to 12 in. | 1 00 | 7 00 | |
| 12 to 18 in. | 2 00 | 15 00 | |
| Thuja occidentalis. 6 to 12 in. | 50 | 4 00 | 30 00 |
| 1 to 2 ft. | 1 00 | 7 00 | 50 00 |
| 2 to 3 ft. | 1 50 | 12 00 | 100 00 |
| 3 to 4 ft. | 2 50 | 20 00 | |
| 4 to 6 ft. | 5 00 | 35 00 | |



KELSEY'S HARDY AMERICAN PLANTS

EVERGREEN TREES, continued

| TSUGA CANADENSIS— | | Per 10 | 100 | 1,000 |
|--------------------------|--|--------|--------|---------|
| 6 to 12 in. | | \$0 40 | \$3 50 | \$30 00 |
| 12 to 18 in. | | 1 00 | 8 00 | 60 00 |
| 18 to 24 in. | | 1 75 | 16 00 | 125 00 |
| 2 to 3 ft. | | 3 00 | 25 00 | 200 00 |
| 3 to 4 ft. | | 5 00 | 40 00 | 350 00 |
| 4 to 5 ft. | | 7 00 | | |
| 5 to 6 ft. | | 10 00 | | |
| CAROLINIANA— | | | | |
| 6 to 12 in. | | 1 50 | 12 00 | |
| 12 to 18 in. | | 2 50 | 20 00 | |
| 18 to 24 in. | | 4 00 | 30 00 | |
| 2 to 3 ft. | | 15 00 | 140 00 | |
| 3 to 4 ft. | | 30 00 | 250 00 | |
| 4 to 5 ft. | | 60 00 | | |

DECIDUOUS SHRUBS

| Adelia acuminata. 3 to 4 ft. | | Per 10 | 100 | 1,000 |
|---|--|--------|--------|---------|
| ALNUS ALNOBETULA— | | \$2 00 | | |
| 3 to 4 ft. | | 1 00 | \$8 00 | |
| 4 to 6 ft. | | 2 50 | 15 00 | |
| 6 to 8 ft. | | 4 00 | 30 00 | |
| rugosa. 2 to 3 ft. | | 1 50 | 12 00 | |
| 3 to 4 ft., clumps | | 2 50 | 18 00 | |
| 4 to 5 ft., clumps | | 6 00 | | |
| Amorpha fruticosa. 1 to 2 ft. | | 60 | 4 00 | |
| 2 to 4 ft. | | 75 | 6 00 | |
| Aralia spinosa. 3 to 4 ft. | | 2 00 | 15 00 | |
| Aronia arbutifolia. 1 to 2 ft. | | 1 00 | 7 00 | |
| 3 to 4 ft. | | 2 50 | 18 00 | |
| 4 to 5 ft. | | 4 00 | | |
| arbutifolia. 1 to 2 ft., clumps | | 1 00 | | |
| 2 to 3 ft., clumps | | 2 00 | 15 00 | |
| 3 to 4 ft., clumps | | 4 00 | | |
| melanocarpa. 1 to 2 ft., clumps | | 3 00 | | |
| nigra. 1 to 2 ft., clumps | | 75 | 6 00 | \$45 00 |
| 2 to 3 ft., clumps | | 1 50 | 12 00 | |
| 3 to 4 ft., clumps | | 3 00 | 25 00 | |
| Ascyrum hypericoides. 1 to 2 ft., strong. | | 1 50 | 12 00 | |
| AZALEA ARBORESCENS— | | | | |
| 6 to 12 in., strong bushy plants ... | | 1 50 | 12 00 | |
| 12 to 18 in., strong bushy plants .. | | 2 00 | 18 00 | 175 00 |
| 18 to 24 in., strong bushy plants ... | | 3 00 | 25 00 | |
| 2 to 3 ft., strong bushy plants | | 6 00 | 50 00 | |
| 12 to 18 in., clumps | | 4 00 | 35 00 | |
| 18 to 24 in., heavy clumps | | 7 50 | 65 00 | |
| 2 to 3 ft., heavy clumps | | 15 00 | 135 00 | |
| LUTEA (calendulacea). Flame-Colored Azalea— | | | | |
| 6 to 12 in., strong bushy plants ... | | 1 00 | 8 00 | 70 00 |
| 12 to 18 in., strong bushy plants .. | | 1 50 | 12 00 | 100 00 |
| 18 to 24 in., strong bushy plants .. | | 2 50 | 20 00 | 175 00 |
| 2 to 3 ft., strong bushy plants | | 4 50 | 40 00 | 360 00 |
| 3 to 4 ft., strong bushy plants | | 6 00 | 50 00 | |
| 12 to 18 in., clumps | | 2 50 | 20 00 | |
| 18 to 24 in., clumps | | 4 00 | 35 00 | 300 00 |
| 2 to 3 ft., clumps | | 7 00 | 60 00 | 500 00 |
| 3 to 3½ ft., clumps | | 15 00 | | |
| nudiflora. 6 to 12 in., strong bushy plants ... | | 1 00 | 8 00 | 70 00 |
| 12 to 18 in., strong bushy plants | | 1 50 | 12 00 | 100 00 |
| 18 to 24 in., strong bushy plants | | 2 50 | 20 00 | |
| 2 to 3 ft., strong bushy plants | | 4 50 | | |
| 12 to 18 in., clumps | | 2 50 | 20 00 | |
| 18 to 24 in., clumps | | 4 00 | 35 00 | |
| VASEYI — | | | | |
| 6 to 12 in., strong bushy plants ... | | 1 50 | 12 00 | 100 00 |
| 12 to 18 in., strong bushy plants .. | | 2 00 | 17 50 | 160 00 |
| 18 to 24 in., strong bushy plants .. | | 4 00 | 35 00 | |
| viscosa. 6 to 12 in. | | 1 00 | 6 00 | 40 00 |
| 12 to 18 in. | | 1 25 | 9 00 | 75 00 |
| 18 to 24 in. | | 2 00 | 15 00 | |

KELSEY'S HARDY AMERICAN PLANTS



DECIDUOUS SHRUBS, continued

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Baccharis halimifolia. 1 to 2 ft..... | \$1 25 | \$9 00 | |
| Benzoin benzoin. 1 to 2 ft..... | 1 00 | 7 00 | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| Berberis canadensis. 6 to 12 in..... | 50 | 3 00 | \$20 00 |
| 1 to 2 ft..... | 75 | 5 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| thunbergii. 1 to 2 ft..... | 1 00 | 7 00 | |
| 1 to 2 ft., clumps..... | 1 50 | 12 00 | |
| 2 to 3 ft., clumps..... | 2 50 | 20 00 | |
| vulgaris. 1 to 2 ft..... | 75 | 5 00 | |
| Butneria (Calycanthus) fertilis. 2 to 3 ft., cl.. | 1 00 | 7 00 | |
| 3 to 4 ft., clumps..... | 1 25 | 10 00 | |
| floridus. 1 to 2 ft..... | 75 | 5 00 | 30 00 |
| 2 to 3 ft., clumps..... | 1 50 | 12 00 | 80 00 |
| 3 to 4 ft., clumps..... | 2 00 | 18 00 | |
| Ceanothus americana. 1 to 2 ft. bushy..... | 1 50 | 15 00 | |
| Cephalanthus occidentalis. 1 to 2 ft..... | 1 00 | 9 00 | |
| Chionanthus virginica. A fine stock— | | | |
| 6 to 12 in..... | 50 | 3 50 | 30 00 |
| 2 to 3 ft..... | 2 00 | 15 00 | 140 00 |
| 3 to 4 ft..... | 3 00 | 20 00 | |
| 4 to 5 ft..... | 7 50 | | |
| Clethra acuminata. 2 to 3 ft..... | 1 00 | 7 00 | |
| 3 to 4 ft..... | 1 50 | 10 00 | |
| 4 to 6 ft..... | 2 50 | 20 00 | |
| alnifolia. 1 to 2 ft., clumps..... | 1 25 | 10 00 | 75 00 |
| 2 to 3 ft., clumps..... | 2 00 | 18 00 | |
| 3 to 4 ft., clumps..... | 6 00 | | |
| Cliftonia ligustrina. 1 to 2 ft..... | 3 00 | | |
| Comptonia peregrina. 1 to 2 ft..... | 75 | 4 00 | |
| Cornus alba. 2 to 3 ft..... | 1 00 | 7 00 | |
| 3 to 4 ft..... | 1 50 | 10 00 | |
| paniculata. 1 to 2 ft..... | 1 50 | 10 00 | |
| amomum. 2 to 3 ft..... | 1 00 | 6 00 | |
| 3 to 4 ft..... | 2 00 | 12 00 | |
| 4 to 6 ft..... | 2 50 | 16 00 | |
| stolonifera aurea. 3 to 4 ft., clumps..... | 2 00 | | |
| Corylus americana. 1 to 2 ft..... | 75 | 5 00 | |
| 1 to 2 ft., S..... | 1 25 | 9 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 6 ft..... | 2 00 | 18 00 | |
| rostrata. 1 to 2 ft..... | 1 00 | 6 50 | |
| 2 to 3 ft., clumps..... | 1 50 | 10 00 | 80 00 |
| 3 to 4 ft., clumps..... | 3 00 | 20 00 | |
| Crataegus coccinea. 1 to 2 ft..... | 1 00 | 8 00 | |
| crus-galli. 1 to 2 ft..... | 1 00 | 7 00 | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| punctata. 1 to 2 ft..... | 1 00 | 8 00 | 60 00 |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 2 50 | | |
| Decodon verticillatus. Strong..... | 1 00 | 8 00 | |
| Diervilla diervilla (trifida). 1 to 2 ft..... | 1 25 | 10 00 | |
| rivularis. 2 to 3 ft..... | 2 00 | | |
| sessilifolia. 1 to 2 ft..... | 1 00 | 8 00 | |
| Euonymus americanus. 2 to 3 ft..... | 1 75 | 15 00 | |
| 3 to 4 ft..... | 2 50 | 18 00 | |
| Gaylussacia resinosa. 6 to 12 in..... | 75 | 5 00 | |
| ursina. 6 to 12 in..... | 1 00 | 9 00 | |
| 1 to 2 ft..... | 2 00 | | |
| Hamamelis virginica. 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| 4 to 6 ft., heavy..... | 3 50 | 30 00 | |
| Hydrangea arborescens. 1 to 2 ft..... | 1 00 | 7 00 | |
| 2 to 3 ft., clumps..... | 1 50 | 12 00 | |
| radiata. 1 to 2 ft., clumps..... | 1 50 | 12 00 | |
| 2 to 3 ft., clumps..... | 3 50 | 30 00 | |
| Ilex decidua. 6 to 12 in..... | 75 | 5 00 | 45 00 |
| verticillata. 1 to 2 ft..... | 1 00 | 7 00 | 60 00 |
| 2 to 3 ft..... | 1 75 | 15 00 | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| Itea virginica. 1 to 2 ft..... | 1 50 | 10 00 | |
| Leucothoe recurva. 1 to 2 ft., clumps..... | 1 00 | 7 00 | |



KELSEY'S HARDY AMERICAN PLANTS

DECIDUOUS SHRUBS, continued

| | Per 10 | 100 | 1,000 |
|---|--------|--------|---------|
| Ligustrum ibota. 1 to 2 ft. | \$0 60 | \$4 00 | \$30 00 |
| regelianum. 1 to 2 ft. | 75 | 5 00 | 35 00 |
| 2 to 3 ft. | 1 50 | 9 00 | |
| Menziesia pilosa. 1 to 2 ft. | 1 50 | 10 00 | |
| 2 to 3 ft. | 2 00 | | |
| Myrica cerifera. 6 to 12 in. | 75 | 6 00 | 50 00 |
| 12 to 18 in. | 1 25 | 9 00 | |
| 18 to 24 in. | 2 00 | | |
| Pieris mariana. 6 to 12 in. | 1 00 | 8 00 | |
| 1 to 2 ft., clumps | 2 00 | 16 00 | |
| Prunus maritima. 1 to 2 ft. | 75 | 5 00 | |
| 2 to 3 ft. | 1 25 | | |
| pumila. 1 to 2 ft. | 1 50 | 10 00 | |
| 2 to 3 ft. | 2 00 | 15 00 | |
| Rhodora canadensis. 12 to 18 in. | 1 50 | 12 00 | |
| 18 to 24 in. | 2 00 | 15 00 | |
| Rhodotypus kerrioides. 1 to 2 ft. | 1 00 | 8 00 | |
| Rhus copallina. 1 to 2 ft. | 1 00 | 9 00 | |
| 2 to 3 ft. | 1 50 | | |
| glabra. 2 to 3 ft. | 1 25 | 8 00 | |
| 3 to 4 ft. | 1 75 | 12 00 | |
| 4 to 6 ft. | 2 50 | | |
| hirta (typhina). 2 to 3 ft. | 1 00 | 7 00 | |
| 3 to 4 ft. | 1 50 | 10 00 | |
| Ribes cynosbati. 1 to 2 ft. | 1 50 | 10 00 | |
| prostratum. 2 to 3 ft. | 1 75 | 12 00 | |
| Robinia hispida. 1 to 2 ft. | 1 00 | 7 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 2 00 | 12 00 | |
| kelseyi. 1 to 2 ft. | 3 00 | | |
| 2 to 3 ft. | 4 00 | | |
| rosea. 1 to 2 ft. | 1 00 | | |
| viscosa. 2 to 4 ft. | 1 25 | 8 00 | |
| Rosa blanda. 6 to 12 in. | 75 | 5 00 | |
| 1 to 2 ft. | 1 00 | 6 00 | |
| carolina. 1 to 2 ft. | 75 | 3 50 | 25 00 |
| 2 to 3 ft. | 75 | 5 00 | 35 00 |
| humilis lucida. 6 to 12 in. | 60 | 4 00 | 30 00 |
| 1 to 2 ft. | 1 25 | | |
| nitida. 2 to 3 ft., clumps | 2 00 | | |
| rubiginosa. 1 to 2 ft. | 1 00 | 7 00 | |
| rugosa. 2 to 3 ft. | 1 75 | 12 00 | |
| rugosa alba. 2 to 3 ft., clumps | 2 50 | | |
| setigera. 3 to 4 ft. | 1 50 | 10 00 | |
| woodsii. 6 to 12 in. | 2 50 | | |
| Rubus odoratus. 1 to 2 ft. | 75 | 3 00 | 25 00 |
| spectabilis. 1 to 2 ft. | 2 00 | | |
| Sambucus canadensis. 1 to 2 ft., col. | 40 | 3 00 | 20 00 |
| pubens. 1 to 2 ft. | 1 00 | 7 00 | |
| 2 to 3 ft. | 1 50 | 12 00 | |
| Spiraea salicifolia. 3 to 4 ft., clumps | 60 | 4 00 | |
| 4 to 6 ft., clumps | 1 00 | 7 00 | 60 00 |
| STUARTIA PENTAGYNA— | | | |
| 6 to 12 in. | 75 | 6 00 | 50 00 |
| 1 to 2 ft. | 1 75 | 15 00 | 130 00 |
| 2 to 3 ft. | 3 50 | 30 00 | |
| 3 to 4 ft. | 5 00 | 45 00 | |
| 4 to 5 ft. | 10 00 | | |
| Symphoricarpus racemosus. 1 to 2 ft. | 75 | 5 00 | |
| 2 to 3 ft. | 1 00 | 7 00 | |
| 2 to 3 ft., clumps | 1 50 | 12 00 | |
| symphoricarpus (vulgaris). 6 to 12 in. | 50 | 3 00 | |
| 1 to 2 ft. | 75 | 5 00 | |
| Vaccinium erythrocarpon. 6 to 12 in. | 1 00 | 8 00 | |
| 12 to 18 in. | 1 75 | 15 00 | |
| hirsutum. 6 to 12 in. | 2 00 | 15 00 | |
| 12 to 18 in. | 3 00 | 20 00 | |
| pallidum. 12 to 18 in. | 1 25 | 10 00 | |
| stamineum. 6 to 12 in. | 1 00 | 7 00 | |
| 12 to 18 in. | 1 50 | 10 00 | |
| 18 to 24 in., clumps | 2 00 | 16 00 | |
| VIBURNUM ACERIFOLIUM— | | | |
| 1 to 2 ft., strong | 1 00 | 7 00 | 60 00 |
| 2 to 3 ft., clumps | 1 75 | 15 00 | 140 00 |
| 3 to 4 ft., clumps | 2 50 | 20 00 | |

KELSEY'S HARDY AMERICAN PLANTS



DECIDUOUS SHRUBS, continued

| | Per 10 | 100 | 1,000 |
|---|--------|--------|---------|
| Viburnum alnifolium (lantanoides). 6 to 12 in..... | \$1 00 | \$8 00 | \$70 00 |
| 1 to 2 ft..... | 1 75 | 15 00 | |
| 2 to 3 ft..... | 3 00 | 25 00 | |
| CASSINOIDES. An exceptional stock. | | | |
| 6 to 12 in. | 75 | 5 00 | 40 00 |
| 1 to 2 ft..... | 1 50 | 12 00 | 80 00 |
| 2 to 3 ft., clumps..... | 2 50 | 20 00 | |
| 3 to 4 ft., clumps..... | 4 00 | 30 00 | |
| 4 to 5 ft., clumps..... | 6 00 | 45 00 | |
| dentatum. 1 to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 75 | 12 00 | |
| 4 to 6 ft., clumps..... | 5 00 | | |
| nudum. 2 to 3 ft. | 2 00 | 17 00 | |
| 3 to 4 ft..... | 3 00 | 25 00 | |
| prunifolium. 1 to 2 ft..... | 2 00 | 15 00 | |
| 2 to 3 ft..... | 3 00 | | |
| oxycoceus. 1 to 2 ft. | 1 50 | 12 00 | |
| 2 to 3 ft..... | 2 50 | | |
| Xanthorrhiza apiifolia. 6 to 12 in., clumps.... | 1 00 | 8 00 | 60 00 |
| 12 to 18 in., clumps..... | 1 50 | 12 00 | |
| Xolisma ligustrina. 1 to 2 ft..... | 1 00 | 6 00 | |

EVERGREEN SHRUBS

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Andromeda polifolia. 6 to 12 in..... | \$1 00 | \$6 00 | |
| Chamaedaphne calyculata. 12 to 18 in., cl.... | 1 00 | 7 00 | |
| 18 to 24 in., clumps..... | 2 00 | 15 00 | |
| Dendrium (leiophyllum) buxifolium— | | | |
| 6 to 12 in..... | 75 | 5 00 | |
| 12 to 18 in., clumps..... | 1 00 | 8 00 | |
| prostratum. 3 to 6 in., clumps..... | 1 00 | 7 00 | \$60 00 |
| 6 to 9 in., clumps..... | 1 50 | 12 00 | |
| Hypericum aureum. 1 to 2 ft..... | 1 00 | 8 00 | 60 00 |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| BUCKLEYI. New— | | | |
| 6 to 12 in., clumps..... | 1 75 | 15 00 | |
| densiflorum. 6 to 12 in., S..... | 30 | 1 00 | 9 00 |
| 1 to 2 ft., S..... | 50 | 2 00 | 15 00 |
| 2 to 3 ft..... | 1 00 | 6 00 | |
| prolificum. 1 to 2 ft. | 75 | 5 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| Kalmia angustifolia. 6 to 12 in..... | 50 | 4 00 | |
| 12 to 18 in..... | 1 00 | 8 00 | |
| Ledum groenlandicum. 12 to 18 in..... | 1 50 | 12 00 | |
| LEUCOTHOE CATESBAEI— | | | |
| 6 to 12 in..... | 75 | 6 00 | 50 00 |
| 12 to 18 in..... | 1 00 | 8 00 | 70 00 |
| 12 to 18 in., clumps..... | 2 00 | 18 00 | |
| Taxus minor. 6 to 12 in..... | 2 00 | 15 00 | |
| 12 to 18 in..... | 3 00 | | |

VINES AND CLIMBERS

| | Per 10 | 100 | 1,000 |
|---|--------|---------|---------|
| Aristolochia sipho. 1 to 2 ft..... | \$2 00 | \$12 00 | |
| Ampelopsis. See Parthenocissus. | | | |
| Bignonia crucigera. 6 to 12 in., strong..... | 75 | 5 00 | \$40 00 |
| Cebatha carolina. Strong..... | 75 | 5 00 | |
| Celastrus punctata. 6 to 12 in., S..... | 75 | 5 00 | 40 00 |
| 1 to 2 ft., S..... | 1 50 | 12 00 | |
| scandens. 1 to 2 ft..... | 75 | 6 00 | 50 00 |
| 2 to 4 ft..... | 1 00 | 8 00 | 75 00 |
| Clematis coccinea | 2 00 | 12 00 | |
| virginiana. Strong tr. clumps..... | 75 | 5 00 | 30 00 |
| Strong S..... | 25 | 2 00 | 12 00 |
| Dioscorea villosa. S..... | 50 | 4 00 | |
| Euonymus radicans. 6 to 12 in..... | 1 50 | 12 00 | |



KELSEY'S HARDY AMERICAN PLANTS

VINES AND CLIMBERS, continued

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Humulus lupulus | \$0 75 | \$5 00 | |
| Lonicera dioica . 2 to 4 ft..... | 1 25 | 8 00 | |
| flava. Clumps..... | 1 00 | 7 00 | |
| japonica, var. halliana. Medium..... | 50 | 3 00 | \$20 00 |
| sempervirens. 2 to 3 ft., strong..... | 2 00 | | |
| Menispermum canadense | 50 | 4 00 | |
| PARTHENOCISSUS (AMPELOPSIS) | | | |
| ENGELMANNI. — | | | |
| 1 yr., strong..... | 60 | 3 00 | 25 00 |
| 2 yrs..... | 75 | 5 00 | 40 00 |
| Col. plants..... | 40 | 1 50 | 12 00 |
| virginica. Strong..... | 75 | 5 00 | |
| vitacea. Strong..... | 1 00 | 10 00 | |
| Passiflora incarnata . S..... | 1 50 | 12 00 | |
| Polygonum cilinode | 50 | 3 00 | 20 00 |
| Tecoma grandiflora . 2 to 3 ft..... | 2 50 | | |
| radicans. 6 to 12 in..... | 40 | 3 00 | |
| Vitis aestivalis . 6 to 12 in..... | 1 00 | 7 00 | |
| 2 to 3 ft..... | 2 00 | 15 00 | |
| cordifolia. 6 to 12 in..... | 1 00 | 7 00 | |
| 1 to 2 ft..... | 1 50 | 12 00 | |
| heterophylla. 1 to 2 ft..... | 1 75 | 15 00 | |
| labrusca. 6 to 12 in..... | 75 | 3 00 | 20 00 |
| 2 to 4 ft..... | 2 00 | | |
| monticola. 2 to 3 ft..... | 2 50 | | |
| vulpina. 1 to 2 ft..... | 2 00 | | |
| Wistaria frutescens . 2 to 4 ft., strong..... | 1 25 | 9 00 | |

GROUND-COVERING PLANTS

| | Per 10 | 100 | 1,000 |
|---|--------|--------|---------|
| GALAX APHYLLA— | | | |
| Tr. clumps..... | \$1 00 | \$8 00 | \$50 00 |
| Col. clumps..... | 75 | 3 00 | 20 00 |
| Epigaea repens . Tr. clumps..... | 2 00 | 15 00 | |
| Col. clumps..... | 1 00 | 7 00 | |
| Gaultheria procumbens . Tr. clumps..... | 1 50 | 10 00 | |
| Col. clumps..... | 75 | 3 00 | 20 00 |
| Glechoma hederacea . Col. clumps..... | 75 | 3 00 | |
| Houstonia serpyllifolia . Col. clumps..... | 50 | 3 00 | 20 00 |
| Lycopodium clavatum | 40 | 3 00 | |
| complanatum. Col..... | 40 | 3 00 | |
| lucidulum..... | 40 | 3 00 | |
| obscurum. Col..... | 40 | 3 00 | |
| Mitchella repens . Clumps..... | 75 | 5 00 | 35 00 |
| Phlox reptans . Col..... | 50 | 3 00 | |
| subulata. Tr. clumps..... | 75 | 6 00 | |
| subulata alba. Tr. clumps..... | 1 25 | 10 00 | |
| Rubus canadensis . 1 to 2 ft..... | 50 | 4 00 | |
| enneifolius. 1 to 2 ft..... | 2 00 | | |
| hispidus..... | 60 | 4 00 | |
| laciniatus. 1 to 2 ft..... | 1 00 | 8 00 | |
| Vinca minor . Single..... | 50 | 4 00 | 20 00 |
| Clumps..... | 75 | 5 00 | 40 00 |

NATIVE FERNS

| | Per 10 | 100 | 1,000 |
|---|--------|--------|---------|
| Adiantum pedatum | \$1 00 | \$6 00 | |
| Asplenium filix-fœmina . Strong..... | 75 | 5 00 | |
| thelypteroides..... | 1 00 | 8 00 | |
| Botrychium virginicum | 75 | 5 00 | |
| Camptosorus rhizophyllus | 1 00 | 7 00 | |
| Dicksonia punctilobula . Clumps..... | 60 | 4 00 | |
| Dryopteris aerostichoides | 75 | 5 00 | \$35 00 |
| marginalis..... | 75 | 5 00 | 35 00 |
| novaboracensis..... | 1 00 | 8 00 | |
| thelypteris..... | 1 00 | 8 00 | |
| Onoclea sensibilis | 75 | 5 00 | |
| Osmunda cinnamomea . Clumps..... | 1 00 | 6 00 | |
| claytoniana. Clumps..... | 1 00 | 6 00 | |
| regalis..... | 1 00 | 6 00 | |
| Phegopteris hexagonoptera | 1 00 | 6 00 | |
| Pteris aquilina | 50 | 4 00 | |

KELSEY'S HARDY AMERICAN PLANTS



AQUATIC AND BOG PLANTS

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Acorus calamus | \$1 00 | \$5 00 | |
| Aster puniceus . Col..... | 50 | 3 00 | |
| Caltha palustris | 1 00 | 8 00 | |
| Chelone glabra | 1 00 | 5 00 | |
| lyoni. Clumps..... | 1 00 | 5 00 | |
| Chrysamphora (Darlingtonia) californica... 4 00 | | | |
| Cicuta maculata | 1 00 | 5 00 | |
| DIONAEA MUSCIPULA | 1 50 | 6 00 | |
| HELONIAS BULLATA . Clumps..... | 75 | 5 00 | \$40 00 |
| Iris pseudacorus . Clumps..... | 1 50 | | |
| Strong, S..... | 75 | 5 00 | |
| versicolor. Clumps..... | 75 | 5 00 | |
| Nuphar advena | 1 50 | | |
| Orontium aquaticum | 1 25 | 8 00 | |
| Oxycoccus macrocarpus . Tr. clumps..... | 75 | 6 00 | 50 00 |
| Pontederia cordata | 1 00 | 6 00 | |
| Sagittaria latifolia | 50 | 2 00 | |
| Sarracenia catesbaei | 2 00 | 12 00 | |
| drummondii..... | 2 00 | 12 00 | |
| flava. Strong..... | 1 50 | 10 00 | |
| minor..... | 2 00 | 12 00 | |
| psittacina..... | 2 00 | 12 00 | |
| purpurea..... | 1 00 | 8 00 | |
| rubra..... | 2 00 | 12 00 | |
| Sparganium ramosum | 50 | 2 00 | 6 00 |
| Typha latifolia | 1 50 | 10 00 | |
| Peltandra virginica | 1 50 | | |

ORCHIDS

| | | | |
|--|------|-------|-------|
| Cypripedium acaule . Light..... | 50 | 3 00 | 20 00 |
| Strong..... | 1 00 | 7 00 | 50 00 |
| californicum..... | 2 50 | 20 00 | |
| candidum..... | 3 00 | | |
| fasciculatum..... | 3 00 | 25 00 | |
| hirsutum. Light..... | 50 | 3 00 | 20 00 |
| Strong..... | 1 00 | 7 00 | 50 00 |
| MONTANUM | 3 00 | | |
| PARVIFLORUM | 2 00 | | |
| REGINAE (SPECTABILE) — | | | |
| 1 to 2 crowns..... | 2 00 | 15 00 | |
| 3 to 4 crowns..... | 4 00 | 35 00 | |
| 5 to 6 crowns..... | 6 00 | 55 00 | |
| 7 to 8 crowns..... | 9 00 | 75 00 | |
| Clumps with over eight crowns, 15 cts. per crown. | | | |
| Habenaria ciliaris | 75 | 6 00 | 50 00 |
| hookeriana. Strong..... | 1 25 | 8 00 | |
| PERAMOENA . New..... | 1 50 | 10 00 | |
| Limodorum tuberosum | 1 00 | 8 00 | |
| Orchis spectabilis | 1 50 | 12 50 | |
| Peramium pubescens | 1 50 | 10 00 | |
| repens..... | 1 50 | | |

LILIES AND BULBOUS PLANTS

| | Per 10 | 100 | 1,000 |
|--------------------------------------|--------|--------|-------|
| Allium cernuum | \$1 00 | \$7 00 | |
| Arisaema triphyllum | 75 | 5 00 | |
| Bicuculla canadensis | 75 | 5 00 | |
| eucullaria..... | 75 | 5 00 | |
| EXIMIA . Strong..... | 75 | 5 00 | |
| Clumps..... | 1 50 | 10 00 | |
| Chrosperma muscætoxicum | 75 | 5 00 | |



KELSEY'S HARDY AMERICAN PLANTS

LILIES AND BULBOUS PLANTS, continued

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Convallaria majalis | \$0 60 | \$4 00 | |
| Erythronium americanum , Col..... | 50 | 3 00 | \$12 50 |
| Lilium canadense , Med..... | 1 00 | 7 00 | 50 00 |
| CAROLINIANUM , First size..... | 1 50 | 8 00 | 79 00 |
| Second size..... | 75 | 5 00 | 40 00 |
| catesbaei..... | 1 50 | 10 00 | |
| columbianum..... | 2 00 | 15 00 | |
| humboldtii | 3 50 | | |
| GRAYI , First size | 1 50 | 9 00 | 70 00 |
| Second size | 1 00 | 6 00 | 45 00 |
| pardalinum..... | 2 50 | 20 00 | |
| SUPERBUM , First size | 75 | 5 00 | 40 00 |
| Second size | 50 | 3 00 | 25 00 |
| Third size..... | 25 | 1 50 | 10 00 |
| washingtonianum | 2 50 | 20 00 | |
| Trillium erectum , Strong..... | 40 | 3 00 | 20 00 |
| erectum album | 1 00 | | |
| GRANDIFLORUM , Small | 20 | 1 00 | 7 00 |
| Strong | 40 | 2 00 | 15 00 |
| petiolatum | 1 50 | 12 00 | |
| sessile californicum | 1 50 | 10 00 | |
| sessile rubrum | 2 00 | 15 00 | |
| STYLOSUM , Light | 60 | 2 00 | 15 00 |
| Strong | 1 00 | 4 00 | 25 00 |
| undulatum | 50 | 2 50 | 18 00 |

HERBACEOUS PERENNIALS

| | Per 10 | 100 | 1,000 |
|---|--------|---------|-------|
| Aconitum reclinatum | \$1 25 | \$10 00 | |
| uncinatum..... | 75 | 5 00 | |
| Actaea alba | 1 50 | 10 00 | |
| rubra..... | 2 50 | 20 00 | |
| Adopogon montana , Clumps | 1 00 | 8 00 | |
| Amsonia amsonia , Clumps..... | 1 00 | 7 00 | |
| Strong S | 50 | 3 00 | |
| Angelica curtisii | 60 | 4 00 | |
| Aquilegia canadensis , Strong..... | 1 00 | 7 00 | |
| Aralia nudicaulis | 60 | 4 00 | |
| racemosa, Heavy clumps..... | 75 | 5 00 | |
| Archangelica hirsuta | 60 | 4 00 | |
| Artemisia gracilis | 2 50 | | |
| Aruncus (Spiræa) aruncus..... | 1 25 | 8 00 | |
| Asarum canadense | 1 00 | 6 00 | |
| macranthum, Clumps..... | 2 00 | | |
| Asclepias tuberosa | 1 00 | 8 00 | |
| Aster acuminatus | 60 | 4 00 | |
| cordifolius | 60 | 4 00 | |
| curtisii | 75 | 4 00 | |
| divaricata | 75 | 4 00 | |
| ericoides pilosa..... | 75 | 4 00 | |
| latiflorus | 75 | 4 00 | |
| lowerianus | 75 | 4 00 | |
| macrophylla..... | 75 | 4 00 | |
| mixture | 50 | 3 00 | |
| novæ-angliæ..... | 1 50 | 10 00 | |
| punicens | 50 | 3 00 | |
| prenanthoides | 75 | 4 00 | |
| umbellatus | 75 | 4 00 | |
| undulatus | 75 | 4 00 | |
| Astilbe decandra | 1 00 | 6 00 | |
| Baptisia australis , Clumps..... | 1 50 | 10 00 | |
| tinctoria, Clumps..... | 1 00 | 5 00 | |
| Campanula divaricata | 75 | 5 00 | |
| Carex fraseri , Clumps..... | 1 00 | 6 00 | |
| Cassia marylandica , Tr..... | 75 | 4 00 | |
| Caulophyllum thalictroides | 60 | 5 00 | |
| Collinsonia canadensis | 75 | 4 00 | |

A TRADE PRICE-LIST OF NEW *and* RARE **Hardy American Lilies** **Cypripediums and Trilliums**

HIGHLANDS NURSERY, North Carolina
SALEM BRANCH, Salem, Mass.



A single panicle and mass of *Stenanthium* from photos taken at Highlands Nursery

A New Remarkable Carolina Mountain Plant

STENANTHIUM ROBUSTUM (Mountain Feather Fleece)

This remarkable hardy perennial is, without doubt, one of our best new introductions, and may be classed with the showiest of all herbaceous plants. As the buds begin to unfold in early August they are quite upright, and of a light green tinge, gradually becoming whiter until at last they burst forth into a veritable snowbank of drooping, fleecy bloom of purest white, the panicles often 2 to 3 feet long. In September the flowers, as they ripen, turn to shades of pink and purple. It is a vigorous perennial, attaining a height of from 5 to 8 feet when well established, and is absolutely hardy throughout the United States and Canada.

The Mountain Feather Fleece is of easy cultivation, and, if given plenty of food, makes a wonderful show equaled by few plants of any description. Give rich soil and ordinary border location.

The illustration gives some idea of the wonderful effect of *Stenanthium* when in full bloom, but inadequately conveys the beauty of the delicate, feathered, drooping flowers. When known, it will be planted by thousands.

TRADE PRICES

| | Per 10 | Per 100 | Per 1000 |
|------------------|--------|---------|----------|
| Size 1, heaviest | \$2.50 | \$20.00 | |
| Size 2, medium | 1.75 | 12.00 | |
| Size 3 | 1.00 | 7.00 | \$50.00 |

Highlands Nursery, 100 acres, 3,800 feet elevation in the Carolina Mountains, and Salem Branch, Salem, Mass. "The Home of Hardy Native Rhododendrons, Azaleas, Kalmias, and Rare Carolina Mountain Flowers."

ADDRESS

Harlan P. Kelsey, Owner
SALEM, MASS.

Beautifully Illustrated Catalog

A Full Wholesale Catalog, for the Trade only, on Request



The Most Beautiful of All American Terrestrial Orchids



The Showy Ladies' Slipper
Cypripedium reginae (spectabile), growing in a city garden

Hardy Cypripedium reginae (spectabile)

Showy Ladies' Slipper



Flower of the Showy Ladies' Slipper

This is truly the queen of all the family of Hardy American Orchids. It is extremely rare and shy, having retreated to the cold, deep cedar swamps of our Northern United States and Canada. The exquisite beauty of the Ladies' Slipper is unsurpassed, the broadly ovate sepals and petals being of purest downy white, while the large inflated pouch is a soft red rose-color.

It has in the past been considered difficult to grow successfully, but, with proper preparation of soil and location, anyone may have a gorgeous display of this the most beautiful of hardy Orchids. A deep soil (24 inches) of peat or muck, mixed with sand and sphagnum moss, in a moist and shady location, with a heavy mulching of sphagnum and leaves, are the most ideal conditions for best success. But a good Rhododendron bed offers a good situation, and Mr. Wm. C. Egan, of Egandale, Chicago, has had a successful colony for many years in rich garden soil on the north side of his residence.

Blooms in June and early July.

Plant so crowns are four to six inches below the surface of the ground.

We have a splendid stock of strong clumps, now ready to ship.

TRADE PRICES. CYPRIPEIDIUM REGINÆ (spectabile).

| | Per 10 | Per 100 | | Per 10 | Per 100 |
|---------------|--------|---------|---------------|--------|---------|
| 1 to 2 crowns | \$2.00 | \$15.00 | 5 to 6 crowns | \$6.00 | \$55.00 |
| 3 to 4 crowns | 4.00 | 35.00 | 7 to 8 crowns | 9.00 | 75.00 |

A few splendid clumps with 9 to 15 crowns, at 15 cents per crown.

Other Fine Species of Ladies' Slippers

| | Per 10 | Per 100 | Per 1,000 |
|--|--------|---------|-----------|
| Cypripedium acaule. Bright purple, strong | \$1.00 | \$7.00 | \$50.00 |
| hirsutum. Large yellow slipper, strong | 1.00 | 7.00 | 50.00 |
| californicum. Rare western species | 2.50 | 20.00 | |
| montanum. Brownish sepals, white purple veined lip, very handsome | 3.00 | | |
| candidum. Charming small white species | 3.00 | | |

The Best Trilliums and the Blood Root

or *Sanguinaria canadensis*

There are no more beautiful spring-flowering plants than the Trilliums. For best effects they should be planted in large masses, on hillsides or among shrubbery. But a strong clump of *grandiflorum* or other species in the border garden is a joy in the early spring, while the snow-white Blood Root is one of the happiest of all April's floral offerings. We have supplied them for single plantings in lots of many thousands.

TRILLIUM erectum. Erect Wake Robin. 8 to 16 inches. Large red fruit, very ornamental. Brown-purple, often greenish. April and May.

grandiflorum. Large-flowered Wake Robin. 8 to 10 inches. The finest and largest species. Flowers 2 to 3 inches across, in April and May. One of our best early spring flowers. White, turning rose-color or marked with green.


stylosum. Nodding Trillium. 1 to 1½ feet. Our rarest mountain species. April and May. Large wavy petals of beautiful pink.

sessile californicum. White. A beautiful Californian species.

undulatum. Painted Wake Robin. 8 inches. Earliest, blooming in April. Showy flowers and fruit. White, with purple stripes.



Trillium erectum, showy purple flowers



Trillium sessile, var. *californicum*, a beautiful and rare species



The Blood Root (*Sanguinaria canadensis*)

TRADE PRICES

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| TRILLIUM erectum. Strong bulbs | \$0.40 | \$ 3.00 | \$20.00 |
| grandiflorum. Strong bulbs | .40 | 2.00 | 15.00 |
| stylosum. Strong bulbs | 1.00 | 4.00 | 25.00 |
| sessile californicum. Strong bulbs | 1.50 | 10.00 | |
| undulatum. Strong bulbs | .50 | 2 50 | 18.00 |

NOTE. Plant Trilliums and *Sanguinaria* now if you want best results next spring.



Trillium grandiflorum, the great woods lily

Types of some of the best American Trilliums



The Sweet-scented Carolina Lily (*Lilium carolinianum*)
One of our newest introductions
Photographed at Highlands Nursery



Lilium superbum, a specialty
One of our best hardy native Lilies

The Choicest Hardy American Lilies

LILIUM carolinianum. The Sweet-scented Carolina Lily. A beautiful new and heretofore but little-known species, of the recurved type, with very fragrant orange flowers. Usually from one to three flowers on a stem. It should be planted in a mass for best effect, as in fact most bulbous plants should, or placed in the Rhododendron or shrubbery border.

| | Per 10 | Per 100 | Per 1000 |
|-------------|--------|---------|----------|
| First size | \$1.50 | \$8.00 | \$70.00 |
| Second size | .75 | 5.00 | 40.00 |

superbum. Turk's Cap Lily. No description will do justice to this magnificent American Lily. Golden recurved petals, the flowers in perfect pyramids, often 40 on a single stalk. A clump of them is literally a blaze of scarlet and gold. For years we have made the growing of this lily a specialty, and send out thousands of bulbs every season. Our stock this season is very fine, and we are offering it at a low price for the benefit of those wishing to make mass plantings. Of special use for planting in rhododendron beds.



Flower of *Lilium grayi*

| | Per 10 | Per 100 | Per 1000 |
|-------------|--------|---------|----------|
| First size | \$0.75 | \$5.00 | \$40.00 |
| Second size | .50 | 3.00 | 25.00 |
| Third size | .25 | 1.50 | 10.00 |

grayi. Introduced by me in 1888, it has proven the leader of the bell-shaped type of hardy lilies. Dark red, brown petals beautifully spotted. An exquisite species and very rare. Our stock is exclusive and of first quality. The bulbs are never very large.



Flower of *Lilium canadense*

| | Per 10 | Per 100 | Per 1000 |
|-------------|--------|---------|----------|
| First size | \$1.50 | \$9.00 | \$70.00 |
| Second size | 1.00 | 6.00 | 45.00 |

OTHER FINE SPECIES

LILIUM canadense. Orange, recurved, medium. \$1.00 per 10, \$7.00 per 100, \$50.00 per 1,000.

Packing at cost. STOCK IS NOW READY FOR SHIPMENT.

HARLAN P. KELSEY, Owner
SALEM, MASS.

TO THE TRADE

HIGHLANDS NURSERY is a unique establishment at 3,000 feet elevation in the Carolina Mountains, growing exclusively the best and hardy only of the American ornamentals, and particularly the gorgeous Native Rhododendrons, Azaleas and Kalmias which are hardy in Quebec. Tens of thousands of clumps up to 6 feet high are ready to ship. A fine stock of clumps at the Salem Branch. Write for full particulars and for beautifully illustrated catalog and for trade catalog.

Plant Bulbs in Fall for Best Results

KELSEY'S HARDY AMERICAN PLANTS



HERBACEOUS PERENNIALS, continued

| | Per 10 | 100 | 1,000 |
|--|-----------------------|--------|---------|
| Chamaelirium luteum | \$0 75 | \$4 00 | |
| Cimicifuga americana | 60 | 4 00 | |
| racemosa | 60 | 4 00 | |
| Clintonia borealis | 60 | 4 00 | |
| umbellulata | 60 | 4 00 | |
| Coreopsis lanceolata | 75 | 5 00 | |
| major | 1 00 | 7 00 | |
| rosea | 1 00 | 6 00 | |
| verticillata | 75 | 5 00 | |
| Cornus canadensis | 1 50 | 10 00 | |
| Diphylleia cymosa | 1 00 | 7 00 | |
| Disporum lanuginosum | 1 00 | 7 00 | |
| Dodecatheon meadia | 1 50 | 10 00 | |
| Eupatorium ageratoides | 60 | 4 00 | |
| perfoliatum | 60 | 4 00 | |
| purpureum | 75 | 5 00 | |
| Euphorbia corrolata | 75 | 5 00 | |
| Gentiana andrewsii | 60 | 4 00 | |
| Geranium maculatum | 60 | 4 00 | |
| Geum radiatum | 1 00 | | |
| Grindelia squarrosa. Strong, S. | 75 | 5 00 | |
| Helenium autumnale. Col. clumps | 60 | 4 00 | \$30 00 |
| Helianthus strumosus | 60 | 4 00 | 30 00 |
| Hepatica acuta | 75 | 5 00 | |
| hepatica | 75 | 5 00 | |
| Heuchera americana | 75 | 5 00 | |
| pubescens | 75 | 5 00 | |
| sanguinea | 2 00 | | |
| sanguinea alba | 3 00 | | |
| villosa | 60 | 4 00 | |
| Hibiscus , three vars., mixed. Strong S. | 60 | 3 00 | |
| Crimson Eye. Clumps | 75 | 5 00 | |
| moscheutos. Clumps | 75 | 5 00 | |
| rose-pink. Heavy | 1 00 | 7 00 | |
| rose-pink. 1 year, S. | 60 | 4 00 | |
| Houstonia purpurea. Clumps | 75 | 4 00 | |
| Hydrastis canadensis | 75 | 5 00 | |
| Iris cristata. Clumps | 75 | 5 00 | 40 00 |
| verna. Clumps | 75 | 5 00 | |
| verna. Col. | 50 | 3 00 | |
| Lacinaria grandiflora pilosa | 1 00 | 6 00 | |
| pycnostachya | 1 00 | 6 00 | |
| scariosa. Strong, S. | 1 00 | 6 00 | |
| spicata | 1 00 | 6 00 | |
| spicata pumila | 1 00 | 6 00 | |
| spicata pumila. S. | 60 | 3 00 | |
| montana | 75 | 5 00 | |
| Leptandra virginica | 1 00 | | |
| Lewisia tweedii | 7 00 | 50 00 | |
| howellii | 3 00 | 20 00 | |
| Leucocrinum montanum | 2 00 | 15 00 | |
| Lobelia cardinalis | 50 | 4 00 | 30 00 |
| syphilitica | 75 | 5 00 | 40 00 |
| Melanthium virginicum | 1 00 | 7 00 | |
| Mimulus ringens | 60 | 4 00 | |
| Monarda didyma | 1 00 | 6 00 | |
| mixture | 1 00 | 6 00 | |
| Panax quinquefolium | \$2 to \$20 per 100.. | | |
| Special prices on request. | | | |
| Potentilla tridentata. Clumps | 1 00 | 5 00 | |
| Phlox maculata. Clumps | 75 | 5 00 | |
| Physostegia virginiana | 1 00 | 7 00 | |
| virginiana. Strong, S. | 60 | 4 00 | |
| virginiana alba | 1 00 | 7 00 | |
| Podophyllum peltatum | 50 | 3 00 | 20 00 |
| Polygonatum biflorum. Strong | 60 | 3 00 | |
| commutatum. Strong | 75 | 5 00 | 40 00 |
| Porteranthus stipulatus. Clumps | 1 00 | 6 00 | |



KELSEY'S HARDY AMERICAN PLANTS

HERBACEOUS PERENNIALS, continued

| | Per 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Pyrola rotundifolia | \$0 75 | \$5 00 | |
| Rhexia virginica | 1 00 | 7 00 | \$50 00 |
| Sanguinaria canadensis | 60 | 4 00 | 20 00 |
| Saxifraga micranthidifolia | 1 00 | 6 00 | |
| michauxii | 1 25 | 7 00 | |
| Scrophularia marylandica | 1 50 | | |
| Sedum telephioides . Clumps | 1 00 | 6 00 | |
| ternatum | 75 | 4 00 | |

SHORTIA GALACIFOLIA—

| | | | |
|--------------------------------------|------|-------|-------|
| First size .. | 3 00 | 25 00 | |
| Second size .. | 1 50 | 12 00 | |
| Silene stellata | 75 | 5 00 | |
| virginica. Strong..... | 1 00 | 8 00 | |
| Solidago bicolor | 75 | 5 00 | |
| canadensis | 75 | 5 00 | |
| odora | 75 | 5 00 | |
| In var..... | 50 | 3 00 | 20 00 |
| virginica | 75 | 5 00 | |
| rugosa | 75 | 5 00 | |
| glomerata | 75 | 5 00 | |
| erecta | 75 | 5 00 | |
| nemoralis | 75 | 5 00 | |
| boottii..... | 75 | 5 00 | |
| patula | 75 | 5 00 | |
| pubens | 75 | 5 00 | |
| Spigelia marylandica | 1 50 | 12 50 | |
| Stachys aspera | 60 | 4 00 | |
| Steironema quadriflorum | 75 | 5 00 | |
| ciliatum | 75 | 5 00 | |

STENANTHIUM ROBUSTUM. New—

| | | | |
|--|------|-------|-------|
| First size, heaviest | 2 50 | 20 00 | |
| Second size, medium | 1 75 | 12 00 | |
| Third size | 1 00 | 7 00 | 50 00 |
| Stokesia cyanea | 1 00 | 8 00 | |
| Thalictrum dioicum | 60 | 4 00 | |
| Thermopsis caroliniana . Small, S..... | 1 00 | 7 00 | |
| caroliniana. Strong, Tr..... | 1 50 | 10 00 | |
| Therofon aconitifolium . Clumps | 75 | 5 00 | |
| Tradescantia pilosa | 75 | 5 00 | |
| Trautvetteria carolinensis | 50 | 4 00 | |
| Unifolium canadense | 50 | 4 00 | |
| Uvularia perfoliata | 50 | 4 00 | |
| sessilifolia | 75 | 5 00 | |
| Vagneria racemosa | 75 | 5 00 | |
| Veratrum viride | 75 | 5 00 | |
| Vernonia noveboracensis | 75 | 5 00 | |
| Viola canadensis | 75 | 4 00 | |
| cucullata | 50 | 3 00 | |
| hastata | 50 | 3 00 | |
| lanceolata | 75 | 4 00 | |
| palmata | 1 00 | | |
| pedata..... | 75 | 5 00 | |
| pedata bicolor | 2 00 | 15 00 | |
| rotundifolia | 75 | 5 00 | |
| sagittata | 75 | 5 00 | |
| Yucca filamentosa . Strong..... | 75 | 5 00 | |
| flaccida. Strong clumps..... | 75 | 5 00 | 40 00 |
| glauca. Strong..... | 1 50 | 8 00 | |
| Xerophyllum asphodeloides . Strong..... | 75 | 5 00 | |
| asphodeloides. Clumps..... | 1 50 | 10 00 | |
| Zigadenus leimanthoides | 1 50 | 12 00 | |

HARDY CACTI

| | Per 10 |
|-------------------------------|--------|
| Opuntia fragilis | \$1 50 |
| rafinesquii greenii..... | 1 50 |
| mesacantha macrorrhiza | 1 50 |
| mesacantha cymochilla..... | 2 00 |